



OUTDOOR LIGHTING  
2019

**Royal  Botania**  
Belgian outdoor luxury

## OUTDOOR LIGHTING COLLECTION

At night, a property and its surroundings can take on a whole new look thanks to outdoor lighting. You can make your driveways and entrance paths more inviting to guests and less attractive to unwanted intruders. Parts of your buildings, walls, trees and flowerbeds can be highlighted in subtle or more dynamic ways.

## WHY DO DISCERNING PEOPLE CHOOSE ROYAL BOTANIA?

There are three main reasons: quality, harmony and design. With the range of lighting options from Royal Botania, you can make your statement with an aesthetic that speaks for you. Choose from our modern and traditional designs, all of which are made from the finest and most durable materials, and incorporate the latest in lighting technology. Royal Botania premium outdoor lighting is beautiful, practical and flexible, with many of our reading lamps and highlighting pieces being just as suitable for indoor use too.

All our models are made from the highest quality materials. Whether aluminum, glass, stainless steel or teak, every material used to make Royal Botania products is sourced for its purity, durability and perfect aesthetics. But what makes some designs a cut above others? Is it to do with an eye for symmetry, scale and shapes? Is it to do with colors and curves and straight lines? Is it about simplicity and minimalism, and being influenced by the best of the past to create something new? It is very hard to explain why Royal Botania designs work so well, but when you see them, you just know they do.



OUTDOOR LIGHTING

63D

8Beacon

10Beacon Wall

12Beamy

14Beamy Wall

16Bullet

18Cloche Wall

20Club

22Club Lounge

24Dome Floor

26Dome Gate

28Dome Move

32Dome Small

34Dome Wall

36Dome Glass Varieties

38Ellipse

40Ellipse Wall

42Glow

44Irony

46Lighthouse

48Log

50Log Wall

52Lunar

56Moso Ground

58Moso Wall

60Neptune

62Non

64Non-Side

66Northpole

68Omega

70Parker Flood

74Parker Path

76Parker Wall

78Prato

80Q-Bic

82Q-Bic Floor

84Q-Bic Wall

86Q-Bic EP

88Ropy

94Rusty

96Spiky

98Spiky Lounge

100Spotty

102Spotty Wall

104Tesla Ceiling

108Tesla Wall

110Tristar

114Twin

116Twin Wall

118Wally

ADDITIONAL  
INFORMATION

120Accessories

121Materials

AVAILABILITY OF PRODUCTS

STANDARD  
Of these products we keep an inventory based on expected sales quantities.

**\***  
You will notice that some product references are marked with an asterisk (\*). This indicates that the product is only available “while stocks last”. Consult us for more information or stock.

SYMBOLS

|                                                                                       |                                                                                     |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | Protected against objects > 1mm & protected against water sprayed at max. angle 60° |
|    | Protected against objects > 1mm & water projections from all directions (360°)      |
|    | Protected against dust & against water sprayed from all directions (360°)           |
|    | Totally sealed against dust & against water sprayed from all directions (360°)      |
|    | Totally sealed against dust & protected against permanent immersion                 |
|                                                                                       |                                                                                     |
|  | Protective category 1                                                               |
|  | Protective category 2                                                               |
|  | Protective category 3                                                               |

3D



TECHNICAL INFO

REFERENCE 3D

DIMENSIONS

WIDTH Ø 82 CM  
HEIGHT ± 200 CM  
BASE 75 CM


MATERIALS



POWDERCOATED ALUMINIUM  
WHITE + FABRIC


RECOMMENDED LIGHT SOURCE

LAMP LED - FLUO E27 MAX. 11W  
POWER IN 230V  
IP-RATING IP55  
  
EXTRAS GRANITE BALLAST 8Kg Ø40CM  
CODE: 033DBALLAST  
SHADE = WASHABLE 30°





# BEACON



TECHNICAL INFO

REFERENCE

BCN140B  
BCN140W

DIMENSIONS

WIDTH 9,5 CM  
DEPTH 13,5 CM  
HEIGHT 140 CM

MATERIALS



TEAK + PORCELAIN BLACK  
TEAK + PORCELAIN WHITE

LIGHT SOURCE

LAMP LED - 2,2W  
POWER SUPPLY 250mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 390LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65  
INSTALLATION OPTION JUB5625



# BEACON WALL



## TECHNICAL INFO

### REFERENCE

BCNWB  
BCNWW

### DIMENSIONS

WIDTH 10,5 CM  
DEPTH 12,5 CM  
HEIGHT 15,5 CM

### MATERIALS




TEAK + PORCELAIN BLACK



TEAK + PORCELAIN WHITE

### LIGHT SOURCE


LAMP LED - 2,2W  
POWER SUPPLY 250mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 390LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65







# BEAMY



## TECHNICAL INFO

**REFERENCE** BMY100220  
BMY100Z220

## DIMENSIONS

WIDTH 12 CM  
DEPTH 13 CM  
HEIGHT 100 CM

## MATERIALS

 TEAK + ANTIQUE BRASS  
TEAK + ZINC

## RECOMMENDED LIGHT SOURCE

LAMP LED - 5W - GU10 - FLAT OPTIC  
POWER IN 230V  
IP-RATING IP44  
INSTALLATION OPTION JUB5625



# BEAMY WALL



## TECHNICAL INFO

**REFERENCE** BMYW220  
BMYWZ220

## DIMENSIONS


WIDTH 8 CM  
DEPTH 8 CM  
HEIGHT 11 CM

## MATERIALS

 ANTIQUE BRASS  
 ZINC

## RECOMMENDED LIGHT SOURCE

LAMP LED - 5W - GU10 - FLAT OPTIC  
POWER IN 230V  
IP-RATING IP44



# BULLET



## TECHNICAL INFO

**REFERENCE** BLTL / BLTLG  
BLTLAN / BLTLGAN

## DIMENSIONS

WIDTH 7 CM  
DEPTH 11 CM  
HEIGHT ± 40 CM / ± 110 CM

## MATERIALS



ZINC




ANTIQUE BRASS

## LIGHT SOURCE

LAMP LED 3W  
LIGHT OUTPUT 500LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP55

EXTRA ADJUSTABLE HEAD

REQUIRED  
INSTALLATION OPTION LEDCONKIT / DRI1





# CLOCHE WALL



## TECHNICAL INFO

**REFERENCE** CLOW

## DIMENSIONS


WIDTH 12 CM  
DEPTH 18,5 CM  
HEIGHT 25 CM

## MATERIALS

  TEAK + HANDMADE  
CLEAR GLASS

## LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP54





CLUB



TECHNICAL INFO

REFERENCE

CLB \*  
CLBAM \*

DIMENSIONS

|        |        |
|--------|--------|
| WIDTH  | 70 CM  |
| DEPTH  | 70 CM  |
| HEIGHT | 185 CM |

MATERIALS



TEAK + STAINLESS STEEL (EP)  
BEIGE SHADE




TEAK + STAINLESS STEEL (EP)  
AMBER SHADE

LIGHT SOURCE

|                   |                |
|-------------------|----------------|
| LAMP              | LED 8,5W       |
| POWER IN          | 230V - 50/60Hz |
| LIGHT OUTPUT      | 470LM          |
| COLOR TEMPERATURE | 3000K          |
| IP-RATING         | IP55           |

EXTRA


GRANITE BALLAST 8Kg Ø40CM  
CODE: 033DBALLAST







# CLUB LOUNGE



## TECHNICAL INFO

### REFERENCE

CLBLTR / CLBLAM (LED)  
CLBLSTR / CLBLSAM (SOLAR)

### DIMENSIONS

WIDTH 60 CM  
DEPTH 60 CM  
HEIGHT 161,5 CM

### MATERIALS



TEAK + STAINLESS STEEL (EP)  
BEIGE SHADE  
TEAK + STAINLESS STEEL (EP)  
AMBER SHADE

### LIGHT SOURCE LED

LAMP LED 4,3W  
POWER SUPPLY 500mA DRIVER INCLUDED  
IN FIXTURE  
LIGHT OUTPUT 700LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65

EXTRA CABLE 6,5METER




### LIGHT SOURCE SOLAR

LAMP SOLAR LED 2,6W  
RECHARGEABLE VIA USB  
LIGHT OUTPUT 400LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP55





# DOME FLOOR



## TECHNICAL INFO

### REFERENCE

DOMEFBCL  
DOMEFBSM  
DOMEFBAM  
DOMEFWCL  
DOMEFWSM  
DOMEFWAM

### DIMENSIONS

WIDTH 33 CM  
DEPTH 23 CM  
HEIGHT 171 CM

### MATERIALS



POWDERCOATED ALUMINIUM  
BLACK OR WHITE FRAME



HANDMADE GLASS  
CLEAR / SMOKE / AMBER

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43

INSTALLATION OPTION JUB5625



# DOME GATE



## TECHNICAL INFO

### REFERENCE

DOMEGTBCL  
DOMEGTBSM  
DOMEGTBAM  
DOMEGTWCL  
DOMEGTWSM  
DOMEGTWAM

### DIMENSIONS

WIDTH 30 CM  
DEPTH 30 CM  
HEIGHT 60 CM

### MATERIALS



POWDERCOATED ALUMINIUM  
BLACK OR WHITE FRAME




HANDMADE GLASS  
CLEAR / SMOKE / AMBER

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43

INSTALLATION OPTION JUB5625







# DOME MOVE



## TECHNICAL INFO


### REFERENCE

DOMEMBCL  
DOMEMBSM  
DOMEMBAM  
DOMEMWCL  
DOMEMWSM  
DOMEMWAM

### DIMENSIONS

WIDTH 30 CM  
DEPTH 30 CM  
HEIGHT 112 CM

### MATERIALS




POWDERCOATED ALUMINIUM  
BLACK OR WHITE FRAME  
  
HANDMADE GLASS  
CLEAR / SMOKE / AMBER

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43

### EXTRA

GALVANIZED STEEL BALLAST  
CODE: DOMEMBALLAST







# DOME SMALL



## TECHNICAL INFO

### REFERENCE

DOMESBCL  
DOMESBSM  
DOMESBAM  
DOMESWCL  
DOMESWSM  
DOMESWAM

### DIMENSIONS

WIDTH 30 CM  
DEPTH 30 CM  
HEIGHT 65 CM

### MATERIALS




POWDERCOATED ALUMINIUM  
BLACK OR WHITE FRAME



HANDMADE GLASS  
CLEAR / SMOKE / AMBER

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43





# DOME WALL



## TECHNICAL INFO

### REFERENCE

DOMEWBCL  
DOMEWBSM  
DOMEWBAM  
DOMEWWCL  
DOMEWWSM  
DOMEWWAM

### DIMENSIONS

WIDTH 30 CM  
DEPTH 30 CM  
HEIGHT 65 CM

### MATERIALS



POWDERCOATED ALUMINIUM  
BLACK OR WHITE FRAME



HANDMADE GLASS  
CLEAR / SMOKE / AMBER

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43






DOME GLASS VARIETIES



FLOOR / WALL

|            |       |                                                                                     |                   |
|------------|-------|-------------------------------------------------------------------------------------|-------------------|
| 03DOMG01   | CLEAR |  | HAND MADE GLASS   |
| 03DOMG01SM | SMOKE |  | HAND MADE GLASS   |
| 03DOMG01AM | AMBER |  | HAND MADE GLASS * |




MOVE / SMALL / GATE

|            |       |                                                                                     |                   |
|------------|-------|-------------------------------------------------------------------------------------|-------------------|
| 03DOMG02   | CLEAR |  | HAND MADE GLASS   |
| 03DOMG02SM | SMOKE |  | HAND MADE GLASS   |
| 03DOMG02AM | AMBER |  | HAND MADE GLASS * |



# ELLIPSE



## TECHNICAL INFO

**REFERENCE** ELL40 \* / ELL40L \* (LED)  
ELL70 / ELL70L

## DIMENSIONS

WIDTH 17 CM  
DEPTH 9 CM  
HEIGHT 40 CM / 70 CM

## MATERIALS

  TEAK + STAINLESS STEEL

## RECOMMENDED LIGHT SOURCE

LAMP LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55



## LIGHT SOURCE FOR LED

LAMP LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55


INSTALLATION OPTION JUB5625







# ELLIPSE WALL



## TECHNICAL INFO

**REFERENCE** ELLW / ELLWL (LED)

## DIMENSIONS

WIDTH 8 CM  
DEPTH 12 CM  
HEIGHT 42 CM

## MATERIALS

  TEAK + STAINLESS STEEL

## RECOMMENDED LIGHT SOURCE

LAMP LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55



## LIGHT SOURCE FOR LED

LAMP LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55

INSTALLATION OPTION JUB5625



GLOW



TECHNICAL INFO

REFERENCE GLW185WR \*

DIMENSIONS

WIDTH Ø 33 - 44 CM  
HEIGHT 186 CM  
BASE 55 x 55 CM

MATERIALS




TEAK + POWDERCOATED  
ALUMINIUM + LAMPSHADE IN  
POLYETHYLENE

LIGHT SOURCE


LAMP LED 4,3W  
POWER SUPPLY 500mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 700LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65

EXTRAS CALBE 5METER





# IRONY



## TECHNICAL INFO

**REFERENCE** IRN70 / IRN70L (LED)

## DIMENSIONS

WIDTH 20 CM  
DEPTH 10 CM  
HEIGHT 70 CM

## MATERIALS

 CAST IRON

## RECOMMENDED LIGHT SOURCE

LAMP 2x LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55



## LIGHT SOURCE FOR LED

LAMP 2x LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55

INSTALLATION OPTION JUB5625





# LIGHTHOUSE



### TECHNICAL INFO

#### REFERENCE

LIG40 / LIG40L (LED)  
LIG40ST / LIG40STL\* (LED)  
LIG70 / LIG70L (LED)

#### DIMENSIONS

WIDTH 10 CM  
DEPTH 10 CM  
HEIGHT 40 CM / 70 CM

#### MATERIALS



TEAK + BRASS



GRANITE + STAINLESS STEEL

#### RECOMMENDED LIGHT SOURCE

LAMP  
POWER IN  
IP-RATING

LED / FLUO MAX. 11W  
230V - E27  
IP55




#### LIGHT SOURCE FOR LED

LAMP  
POWER IN  
LIGHT OUTPUT  
COLOR TEMPERATURE  
IP-RATING


2x LED 8,5W  
230V - 50 Hz  
470LM  
3000K  
IP55

INSTALLATION OPTION JUB5625





# LOG




## TECHNICAL INFO

|                                                                                                                                                                         |                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| REFERENCE                                                                                                                                                               | LOG70                            |
| DIMENSIONS                                                                                                                                                              |                                  |
| WIDTH                                                                                                                                                                   | 16 CM                            |
| DEPTH                                                                                                                                                                   | 5 CM                             |
| HEIGHT                                                                                                                                                                  | 70 CM                            |
| MATERIALS                                                                                                                                                               |                                  |
|   | TEAK + STAINLESS STEEL           |
| LIGHT SOURCE                                                                                                                                                            |                                  |
| LAMP                                                                                                                                                                    | POWERLED 3W                      |
| POWER SUPPLY                                                                                                                                                            | 350mA DRIVER INCLUDED IN FIXTURE |
| POWER IN                                                                                                                                                                | 100-240V - 50/60Hz               |
| LIGHT OUTPUT                                                                                                                                                            | 450LM                            |
| COLOR TEMPERATURE                                                                                                                                                       | 2700K                            |
| IP-RATING                                                                                                                                                               | IP55                             |
| EXTRAS                                                                                                                                                                  | ADJUSTABLE ANGLE 120°            |
| INSTALLATION OPTION                                                                                                                                                     | JUB5625                          |





# LOG WALL



## TECHNICAL INFO

|                   |                                  |
|-------------------|----------------------------------|
| REFERENCE         | LOGW                             |
| DIMENSIONS        |                                  |
| WIDTH             | 14 CM                            |
| DEPTH             | 10 CM                            |
| HEIGHT            | 7 CM                             |
| MATERIALS         |                                  |
|                   | TEAK + STAINLESS STEEL           |
| LIGHT SOURCE      |                                  |
| LAMP              | POWERLED 3W                      |
| POWER SUPPLY      | 350mA DRIVER INCLUDED IN FIXTURE |
| POWER IN          | 100-240V - 50/60Hz               |
| LIGHT OUTPUT      | 450LM                            |
| COLOR TEMPERATURE | 2700K                            |
| IP-RATING         | IP55                             |
| EXTRAS            | ADJUSTABLE ANGLE 90°             |



# LUNAR



TECHNICAL INFO

REFERENCE LNRWAC

DIMENSIONS


WIDTH Ø 22 CM  
DEPTH 5,7 CM

MATERIALS

 ARABESCATO CARRARA

LIGHT SOURCE

LAMP LED STRIP 4,8W  
POWER SUPPLY DRIVER INCLUDED IN FIXTURE  
POWER IN 24V  
LIGHT OUTPUT 480LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65








# MOSO GROUND


TECHNICAL INFO

|                   |                                     |
|-------------------|-------------------------------------|
| REFERENCE         | MSOGA                               |
| DIMENSIONS        |                                     |
| WIDTH             | Ø 12 CM                             |
| DEPTH             | 50 CM                               |
| HEIGHT            | 43,5 CM                             |
| MATERIALS         |                                     |
|                   | POWDERCOATED ALUMINIUM<br>BLACK     |
| LIGHT SOURCE      |                                     |
| LAMP              | LED 4,3W                            |
| POWER SUPPLY      | 500mA DRIVER INCLUDED<br>IN FIXTURE |
| POWER IN          | 100-240V - 50/60Hz                  |
| LIGHT OUTPUT      | 700LM                               |
| COLOR TEMPERATURE | 2700K                               |
| IP-RATING         | IP65                                |





# MOSO WALL



## TECHNICAL INFO

### REFERENCE

MSOWUW  
MSOWUB  
MSOWUNB  
MSOWDW  
MSOWDB  
MSOWDNB

### DIMENSIONS

WIDTH 10 CM  
DEPTH 10 CM  
HEIGHT 30 CM

### MATERIALS



PORCELAIN  
WHITE / BLACK / NIGHTBLUE

### LIGHT SOURCE

LAMP LED 3W  
POWER SUPPLY 350mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 450LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65

EXTRA ADJUSTBLE BEAM  
UP OR DOWN LIGHTER





# NEPTUNE



## TECHNICAL INFO

**REFERENCE** NPT60 / NPT60L (LED)  
NPT100 / NPT100L (LED)

## DIMENSIONS

WIDTH Ø 17 CM  
DEPTH Ø 17 CM  
HEIGHT 60 CM / 100 CM

## MATERIALS

 STAINLESS STEEL


## RECOMMENDED LIGHT SOURCE

LAMP 3x LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55

## LIGHT SOURCE FOR LED

LAMP 3x LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55

CONNECTION BOX INCLUDED





# NON



## TECHNICAL INFO

**REFERENCE** NONR  
NONO

## DIMENSIONS

WIDTH 9 CM  
DEPTH 19,5 CM  
HEIGHT 19 CM

## MATERIALS



ELECTRO & HAND POLISHED  
STAINLESS STEEL

CUBE IN CARMINE RED OR  
ORGANIC OLIVE


## LIGHT SOURCE

LAMP LED 2,2W  
POWER SUPPLY 250mA DRIVER INCLUDED  
IN FIXTURE

POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 390LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65



19,5 CM



9 CM








NON-SIDE



TECHNICAL INFO

|              |                                         |
|--------------|-----------------------------------------|
| REFERENCE    | NONS                                    |
| DIMENSIONS   |                                         |
| WIDTH        | 9 CM                                    |
| DEPTH        | 9 CM                                    |
| HEIGHT       | 30 CM                                   |
| MATERIALS    |                                         |
|              | ELECTRO & HAND POLISHED STAINLESS STEEL |
| LIGHT SOURCE |                                         |
| LAMP         | LED 2,2W                                |
| POWER SUPPLY | 250mA DRIVER INCLUDED IN FIXTURE        |
| POWER IN     | 100-240V - 50/60Hz                      |
| LIGHT OUTPUT | 300LM                                   |
| IP-RATING    | IP55                                    |



# NORTHPOLE



### TECHNICAL INFO

**REFERENCE** NOR40\* / NOR40L\* (LED)  
NOR70 / NOR70L (LED)

### DIMENSIONS

WIDTH Ø 10 CM  
DEPTH Ø 10 CM  
HEIGHT 40 CM / 70 CM

### MATERIALS

  TEAK + STAINLESS STEEL

### RECOMMENDED LIGHT SOURCE


LAMP 2x LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55



### LIGHT SOURCE FOR LED

LAMP LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55

INSTALLATION OPTION JUB5625







# OMEGA



Ø 70 CM



## TECHNICAL INFO

**REFERENCE**                      OMG1D220EP  
                                             OMG2D220EP

## DIMENSIONS

WIDTH                                8 CM  
DEPTH                               9,5 CM  
HEIGHT                               8 CM / 14,5 CM

## MATERIALS



ELECTROPOLISHED  
STAINLESS STEEL

## RECOMMENDED LIGHT SOURCE

LAMP                                LED 5W - GU10 FLAT OPTIC  
POWER IN                         230V  
IP-RATING                         IP55





# PARKER FLOOD



## TECHNICAL INFO

### REFERENCE

PRKF

### DIMENSIONS

|        |              |
|--------|--------------|
| WIDTH  | Ø 10 - 16 CM |
| DEPTH  | 22,5 CM      |
| HEIGHT | 230 CM       |

### MATERIALS



ANTIQUE BRASS

### LIGHT SOURCE

|              |                       |
|--------------|-----------------------|
| LAMP         | LED 3W                |
| POWER SUPPLY | 350mA DRIVER INCLUDED |
| POWER IN     | 100-240V - 50/60Hz    |
| LIGHT OUTPUT | 450LM                 |
| IP-RATING    | IP65                  |

### EXTRAS

GRANITE BASE Ø 40 CM  
INCLUDED










# PARKER PATH



## TECHNICAL INFO

### REFERENCE

PRKP

### DIMENSIONS

|        |              |
|--------|--------------|
| WIDTH  | Ø 10 - 16 CM |
| DEPTH  | 22,5 CM      |
| HEIGHT | 230 CM       |

### MATERIALS



ANTIQUE BRASS

### LIGHT SOURCE


|              |                                     |
|--------------|-------------------------------------|
| LAMP         | LED 3W                              |
| POWER SUPPLY | 350mA DRIVER INCLUDED<br>IN FIXTURE |
| POWER IN     | 100-240V - 50/60Hz                  |
| LIGHT OUTPUT | 450LM                               |
| IP-RATING    | IP65                                |
| EXTRAS       | SPIKE INCLUDED                      |







# PARKER WALL



## TECHNICAL INFO

|                                                                                     |                                     |
|-------------------------------------------------------------------------------------|-------------------------------------|
| <b>REFERENCE</b>                                                                    | PRKW                                |
| <b>DIMENSIONS</b>                                                                   |                                     |
| WIDTH                                                                               | Ø 10 - 16 CM                        |
| DEPTH                                                                               | 25 CM                               |
| HEIGHT                                                                              | 42 CM                               |
| <b>MATERIALS</b>                                                                    |                                     |
|  | ANTIQUE BRASS                       |
| <b>LIGHT SOURCE</b>                                                                 |                                     |
| LAMP                                                                                | LED 3W                              |
| POWER SUPPLY                                                                        | 350mA DRIVER INCLUDED<br>IN FIXTURE |
| POWER IN                                                                            | 100-240V - 50/60Hz                  |
| LIGHT OUTPUT                                                                        | 450LM                               |
| IP-RATING                                                                           | IP65                                |



# PRATO



## TECHNICAL INFO

**REFERENCE** PRTWW\*  
PRTWS\*

## DIMENSIONS


WIDTH Ø 25 CM  
DEPTH 34 CM  
HEIGHT 16 CM

## MATERIALS

 POWDERCOATED ALUMINIUM  
WHITE / SAND

## LIGHT SOURCE

LAMP LED 5,8W  
POWER SUPPLY 500mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 540LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP65







Q-BIC



TECHNICAL INFO

|           |             |
|-----------|-------------|
| REFERENCE | QB301D220EP |
|           | QB302D220EP |
|           | QB601D220EP |
|           | QB602D220EP |

DIMENSIONS

|        |               |
|--------|---------------|
| WIDTH  | 12,5 - 20 CM  |
| DEPTH  | 7,5 CM        |
| HEIGHT | 30 CM / 60 CM |


MATERIALS



TEAK + ELECTROPOLISHED  
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

|                     |                          |
|---------------------|--------------------------|
| LAMP                | LED 5W - GU10 FLAT OPTIC |
| POWER IN            | 230V                     |
| IP-RATING           | IP55                     |
| EXTRAS              | ADJUSTABLE ANGLE 270°    |
| INSTALLATION OPTION | JUB5625                  |






# Q-BIC FLOOR



## TECHNICAL INFO

|                          |                                        |
|--------------------------|----------------------------------------|
| REFERENCE                | QBG1D220EP                             |
|                          | QBG2D220EP                             |
| DIMENSIONS               |                                        |
|                          | WIDTH 12,5 - 20 CM                     |
|                          | DEPTH 7,5 CM                           |
|                          | HEIGHT 10 CM                           |
| MATERIALS                |                                        |
|                          | TEAK + ELECTROPOLISHED STAINLESS STEEL |
| RECOMMENDED LIGHT SOURCE |                                        |
|                          | LAMP LED 5W - GU10 FLAT OPTIC          |
|                          | POWER IN 230V                          |
|                          | IP-RATING IP55                         |
| EXTRAS                   | ADJUSTABLE ANGLE 270°                  |





**Q-BIC**



TECHNICAL INFO

**REFERENCE**

QBW1D220EP  
QBW2D220EP

**DIMENSIONS**

WIDTH 7,5 CM  
DEPTH 12,5 CM  
HEIGHT 10 - 20 CM

**MATERIALS**




TEAK + ELECTROPOLISHED  
STAINLESS STEEL

**RECOMMENDED LIGHT SOURCE**

LAMP LED 5W - GU10 FLAT OPTIC  
POWER IN 230V  
IP-RATING IP55

EXTRAS NOT ADJUSTABLE



# Q-BIC EP



## TECHNICAL INFO

**REFERENCE** QBWVD220EP

## DIMENSIONS

WIDTH 9 CM  
DEPTH 11 CM  
HEIGHT 7,5 CM


## MATERIALS

 ELECTROPOLISHED  
STAINLESS STEEL

## RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 FLAT OPTIC  
POWER IN 230V  
IP-RATING IP55

EXTRAS ADJUSTABLE ANGLE 90°





# ROPY



### TECHNICAL INFO

#### REFERENCE

RPY040AB  
RPY040GG  
RPY040SD

#### DIMENSIONS

WIDTH                    Ø 29 CM  
DEPTH                   Ø 29 CM  
HEIGHT                   40 CM

#### MATERIALS



POWDERCOATED ALUMINIUM  
ANTHRACITE + POLYOLEFIN ROPE  
BLACK




POWDERCOATED ALUMINIUM  
GREEN + POLYOLEFIN ROPE  
GREEN




POWDERCOATED ALUMINIUM  
SAND + POLYOLEFIN ROPE  
DESERT

#### LIGHT SOURCE SOLAR

LAMP                    SOLAR LED 2,6W  
RECHARGEABLE VIA USB  
LIGHT OUTPUT        400LM  
COLOR TEMPERATURE 2700K  
IP-RATING              IP55



SOLAR LAMP



# ROPY TABLE



## TECHNICAL INFO

### REFERENCE

RPYTBAB  
RPYTBGG  
RPYTBSD

### DIMENSIONS

WIDTH Ø 20,2 CM  
DEPTH Ø 20,2 CM  
HEIGHT 26 CM

### MATERIALS



POWDERCOATED ALUMINIUM  
ANTHRACITE + POLYOLEFIN ROPE  
BLACK




POWDERCOATED ALUMINIUM  
GREEN + POLYOLEFIN ROPE GREEN




POWDERCOATED ALUMINIUM  
SAND + POLYOLEFIN ROPE DESERT

### LIGHT SOURCE SOLAR

LAMP SOLAR LED 1W  
RECHARGEABLE VIA USB  
LIGHT OUTPUT 150LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP55



SOLAR LAMP









# RUSTY



## TECHNICAL INFO

**REFERENCE** RUS40 / RUS40L (LED)  
RUS70 / RUS70L (LED)

## DIMENSIONS

WIDTH Ø 13 CM  
DEPTH Ø 19 CM  
HEIGHT 40 CM / 70 CM

## MATERIALS

 CAST IRON

## RECOMMENDED LIGHT SOURCE


LAMP LED / FLUO MAX. 11W  
POWER IN 230V - E27  
IP-RATING IP55



## LIGHT SOURCE FOR LED

LAMP LED 8,5W  
POWER IN 230V - 50 Hz  
LIGHT OUTPUT 470LM  
COLOR TEMPERATURE 3000K  
IP-RATING IP55

INSTALLATION OPTION JUB5625








# SPIKY



## TECHNICAL INFO

|                                                                                     |                   |
|-------------------------------------------------------------------------------------|-------------------|
| <b>REFERENCE</b>                                                                    | SPKG              |
|                                                                                     | SPK               |
| <b>DIMENSIONS</b>                                                                   |                   |
| WIDTH                                                                               | Ø 1,3 CM          |
| DEPTH                                                                               | 10 CM             |
| HEIGHT                                                                              | 40 CM - 100 CM    |
| <b>MATERIALS</b>                                                                    |                   |
|  | ANTIQUE BRASS     |
| <b>LIGHT SOURCE</b>                                                                 |                   |
| LAMP                                                                                | POWERLED 3W       |
| LIGHT OUTPUT                                                                        | 450LM             |
| COLOR TEMPERATURE                                                                   | 2700K             |
| IP-RATING                                                                           | IP65              |
| REQUIRED                                                                            | LEDCONKIT OR DRI1 |





# SPIKY LOUNGE



## TECHNICAL INFO

**REFERENCE** SPL

## DIMENSIONS


WIDTH 36 CM  
DEPTH ± 36 CM  
HEIGHT ± 100 CM

## MATERIALS

 ANTIQUE BRASS


## LIGHT SOURCE

LAMP POWERED 3W  
POWER SUPPLY 350mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 450LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65





# SPOTTY SPIKE



TECHNICAL INFO

**REFERENCE** SPTHBR +  
SPTS060BR / SPTS120BR

**DIMENSIONS**

WIDTH 9 CM  
HEIGHT 60 CM / 120 CM

**MATERIALS**

POWDERCOATED ALUMINIUM  
BRONZE

**LIGHT SOURCE**

LAMP LED 3W  
LIGHT OUTPUT 450LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP65

REQUIRED LEDCONKIT OR DRI1



# SPOTTY WALL



## TECHNICAL INFO

### REFERENCE

SPTWBR

### DIMENSIONS

HEIGHT

9 CM

### MATERIALS



POWDERCOATED ALUMINIUM  
BRONZE

### LIGHT SOURCE

LAMP

LED 3W

POWER SUPPLY

350mA DRIVER INCLUDED  
IN FIXTURE

LIGHT OUTPUT


450LM

COLOR TEMPERATURE

2700K

IP-RATING

IP65







# TESLA CEILING



## TECHNICAL INFO

**REFERENCE** TSLCA

## DIMENSIONS

WIDTH 15 CM  
DEPTH 15 CM  
HEIGHT 25 CM


## MATERIALS



POWDERCOATED ALUMINIUM  
BLACK + HANDMADE CLEAR  
GLASS

## LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43









# TESLA WALL



## TECHNICAL INFO

**REFERENCE** TSLWA

## DIMENSIONS

WIDTH 15 CM  
DEPTH 16 CM  
HEIGHT 25 CM


## MATERIALS



POWDERCOATED ALUMINIUM  
BLACK + HANDMADE CLEAR  
GLASS

## LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43



# TRISTAR



### TECHNICAL INFO

**REFERENCE** TRS045OM  
TRS045SM

### DIMENSIONS


WIDTH Ø 24,5 CM  
DEPTH Ø 24,5 CM  
HEIGHT 45 CM

### MATERIALS

TEAK +  
HANDMADE GLASS  
OPAL / SMOKE

### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43  
EXTRAS CABLE 6,5 METER





# TRISTAR



## TECHNICAL INFO

### REFERENCE

TRS0500M  
TRS050SM

### DIMENSIONS

WIDTH 29,5 CM  
DEPTH 29,5 CM  
HEIGHT 50 CM

### MATERIALS



TEAK +




HANDMADE GLASS  
OPAL / SMOKE


### LIGHT SOURCE

LAMP 4W - DECORATIVE LED  
FILAMENT BULB INCLUDED  
POWER IN 230V - E27  
LIGHT OUTPUT 280LM  
COLOR TEMPERATURE 2200K  
IP-RATING IP43

EXTRAS CABLE 6,5 METER



# TWIN



TECHNICAL INFO

**REFERENCE** TWIN70W\*

**DIMENSIONS**

WIDTH 6 CM  
DEPTH 17 CM  
HEIGHT 70 CM

**MATERIALS**

 CORIAN WHITE

**LIGHT SOURCE**

LAMP POWERLED 3,5W  
POWER SUPPLY 350mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 350LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP55





# TWIN WALL



## TECHNICAL INFO

**REFERENCE** TWINUW\*

## DIMENSIONS



WIDTH 6 CM  
DEPTH 17 CM  
HEIGHT 6,5 CM

## MATERIALS

 CORIAN WHITE

## LIGHT SOURCE

LAMP POWERLED 3,5W  
POWER SUPPLY 350mA DRIVER INCLUDED  
IN FIXTURE  
POWER IN 100-240V - 50/60Hz  
LIGHT OUTPUT 350LM  
COLOR TEMPERATURE 2700K  
IP-RATING IP55





# WALLY



## TECHNICAL INFO

**REFERENCE** WAL1D220

## DIMENSIONS


WIDTH 6 CM  
DEPTH 7,5 CM  
HEIGHT 10 CM

## MATERIALS

 ANTIQUE BRASS



## RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 FLAT OPTIC  
POWER IN 230V  
IP-RATING IP44





## ACCESSORIES

|                                                                                    |                                                                |                                                                                                                                                                                    |         |
|------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | LIGB                                                           | STAINLESS STEEL SPIKE:<br>LIGHTHOUSE / NORTHPOLE / ELLIPSE / IRONY                                                                                                                 |         |
|                                                                                    | LBN                                                            | STAINLESS STEEL SPIKE:<br>Q-BIC 30/60 / TWIN / MOSO GROUND / NON-SIDE                                                                                                              |         |
|                                                                                    | LBQ                                                            | STAINLESS STEEL SPIKE:<br>Q-BIC GROUND / Q-BIC WALL / NON                                                                                                                          |         |
|                                                                                    | LBNPT                                                          | STAINLESS STEEL SPIKE: NEPTUNE                                                                                                                                                     |         |
|                                                                                    | LBD                                                            | GALVANISED STEEL SPIKE: DOME FLOOR                                                                                                                                                 |         |
|                                                                                    | LBDM                                                           | GALVANISED STEEL SPIKE: DOME MOVE                                                                                                                                                  |         |
|                                                                                    | LBL                                                            | STAINLESS STEEL SPIKE: LOG                                                                                                                                                         |         |
|                                                                                    | LBR                                                            | GALVANISED STEEL SPIKE: RUSTY                                                                                                                                                      |         |
|    | BL360                                                          | PERFORATED SCREEN 360° - STAINLESS STEEL                                                                                                                                           |         |
|                                                                                    | BL180                                                          | PERFORATED SCREEN 180° - STAINLESS STEEL                                                                                                                                           |         |
|  | BINLS                                                          | LED INSERT FOR NEW OR REPLACEMENT FIXTURES<br>LED 8,5W - 470lm - 3000K - 230V / 50Hz                                                                                               | CE IP55 |
|                                                                                    | BINLR                                                          | LED INSERT FOR NEW OR REPLACEMENT FIXTURES WITH<br>VARIOUS LIGHTOUTPUT<br>LED 2,2W - 390lm UP TO 4,3W - 700lm - 2700K<br>(For more info: Please contact your Royal Botania Dealer) | CE IP55 |
|                                                                                    | BIN2                                                           | E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W                                                                                                                                      | CE IP55 |
|                                                                                    | <b>LEDCONKIT</b>                                               | <b>= DRI1 + JUB5625 + JUB5630</b>                                                                                                                                                  |         |
|                                                                                    | DRI1                                                           | IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W                                                                                                                                      | CE IP68 |
|  | JUB5625                                                        | CONNECTION BOX IP68 - 3X4 mm <sup>2</sup>                                                                                                                                          | CE IP68 |
|                                                                                    | JUB5630                                                        | JUNCTION BOX IP68 - 2X1,5 mm <sup>2</sup>                                                                                                                                          | CE IP68 |
|                                                                                    | <b>OPTIONAL BULB FOR TESLA / CLOCHE WALL / DOME COLLECTION</b> |                                                                                                                                                                                    | CE A    |
|  | LTLEDO3WE27                                                    | LED FILAMENT BULB 3W - 220V/E27 - 2200K - 300lm                                                                                                                                    |         |

## MATERIALS



### STAINLESS STEEL

Stainless steel, better known as Inox, is an iron alloy in which the resistance to corrosion is increased through the addition of chrome and nickel. The principle involves the protection of the outside surface by chromium oxide and nickel oxide molecules. These molecules are much bigger than the underlying iron atoms, which prevents the latter from combining with oxygen to form iron oxides – better known as rust. This passive layer protects the precious steel and is self-renewing. In order to obtain a chromium- and nickel oxide skin that is as pure and homogeneous as possible, and therefore optimally corrosion-resistant, the standard Royal Botania frames are etched and rinsed with demineralised water after which a passive layer is formed by natural oxidation. Chlorine is the biggest enemy of stainless steel and can cause a form of corrosion known as “pitting”. Contamination by chlorides or rusting particles can penetrate the passive layer and cause corrosion in certain places. This is especially important when near the sea, because of course sea salt is sodium chloride. It is necessary to give the metal as smooth a surface as possible in order to give it an even greater resistance to corrosion. This is because if the surface is smooth, there is less chance for contamination to take hold on the metal surface, thus reducing possible corrosion.



### GLASS

Royal Botania offers 4 varieties of coloured glass: clear, smoke, amber and opal. All handmade and highly suitable for outdoor use.



### POWDERCOATED ALUMINIUM

Aluminium is a non-ferrous metal, which combines great mechanical rigidity with light weight; this makes it especially suitable for making outdoor lighting. If treated correctly it has a good resistance to corrosion. One of the treatments is powdercoating. After a chemical pre-treatment an epoxy powder is applied electrostatically and baked. The advantages are easy cleaning and endless colour variations. Powdercoating is a type of coating that is applied as a free flowing, dry powder. The coating is typically applied electrostatically and is then cured under heat to allow it to flow and form a “skin”. Powdercoating provides excellent protection against corrosion.



### (ANTIQUE) BRASS

Brass is an alloy of copper and zinc. The darker finish (antique brass) is achieved by dipping the brass in acid, which gives it an antique look.

MATERIALS



TEAK

Because Royal Botania makes no concessions when it comes to quality, we only use carefully selected, fully grown teak, which is harvested in accordance with the strictest environmental standards. The wood comes from the Tectona Grandis, a tree that can grow to a height of 45m under the right conditions with a trunk diameter of up to 2.4 metres. The reason for its generally commended durability is the high levels of natural oils it contains. The resulting minimal moisture absorption prevents warping which gives it great stability. Moreover, the wood is extremely resistant to the influences of chemicals, as well as against attacks by vermin. Because of these qualities, combined with its exceptionally-beautiful colour and structure, teak is classed as the most premium wood on our precious planet.



CORIAN®

Corian® is a 'solid surface' material made of mass-dyed composite material, they combine mass with homogeneity, yet without seams or joints. The basic ingredient of this product is aluminium trihydrate (ATH). Other components are acrylic resins, which are used as a binder. Aluminium hydroxide makes the material very sturdy and also more heat-resistant than other synthetic materials. 5 good reasons for choosing this material: 1. hard-wearing 2. non-porous 3. hygienic 4. impact-resistant 5. uV-resistant.



ZINC

The zinc alloy used to manufacture Royal Botania lighting will look white in colour when first installed in the landscape. This is due to the acidification of the zinc oxide. At a later stage, this white deposit will wash off and will turn into a lovely darkgrey patina.



PORCELAIN

Porcelain, refined and produced with modern and sophisticated techniques remains stable in all temperatures. It's extremely hard, wear-resistant and colorfast. This sustainable and lifelong porcelain is very suitable for indoor- and outdoor use.



CAST IRON

Royal Botania uses a cast iron alloy with a small percentage of copper and chrome. This prevents any layer of oxidation created by contact with air and water from flaking off. The result is an even, rust-coloured patina that blends in perfectly with the natural surroundings.

MATERIALS



GRANITE

Royal Botania uses solid granite. Granite is one of the hardest types of stone in the world. The unusual pattern and structure of the stone gives every bollard its own special look and character. simply clean with water and natural soap.



POLYETHYLENE

PE, or Polyethylene, is a thermoplastic polymer consisting of long hydrocarbon chains which is very durable and ideal for outdoor use.



PVC COVERED FIBREGLASS

The PVC covered fiber provides a solid core. This material requires a strong tensile and tear strengths, waterproofing, and heat and mildew resistance.



3D FABRIC

Made of synthetic fibers with a spacer layer of polyester microfilaments, absorbs little water and dries very fast in open air.



ARABESCATO CARRARA

The translucent material highlights the natural beauty of marble.



POLYOLEFIN

This is a synthetic fibre made from polyethylene. The advantage of this fibre is its strength, colour fastness. Also it is very resistant to staining and different weather conditions.





## OUTDOOR FURNITURE CATALOGUE 2019



ASK YOUR DEALER FOR THE COMPLETE OUTDOOR FURNITURE CATALOGUE  
OR DOWNLOAD IT ON OUR WEBSITE: [WWW.ROYALBOTANIA.COM](http://WWW.ROYALBOTANIA.COM)





OUTDOOR LUXURY  
OUTDOOR LIGHTING



[WWW.ROYALBOTANIA.COM](http://WWW.ROYALBOTANIA.COM)

